

SUSTAINABILITY DECLARATION

PLUS 6



Kinnarps[®]

QUALITY AND ENVIRONMENTAL LABELLING



MATERIAL CONTENT

| | | |
|--------------|----------------|--------------|
| Steel | 9,6 kg | 53 % |
| Plastic | 4,2 kg | 23 % |
| Foam | 1,9 kg | 10 % |
| Aluminium | 1,9 kg | 10 % |
| Fabric | 0,6 kg | 4 % |
| Total | 18,2 kg | 100 % |

Disclaimer: Material content is based on 6770 with plastic starbase and wool blend fabric.

RECYCLED MATERIAL

| | | |
|--------------------------------|---------------|------------|
| Post-consumer recycled content | 4,0 kg | 22 % |
| Pre-consumer recycled content | 0 kg | 0 % |
| Total recycled content | 4,0 kg | 22% |

Disclaimer: Material content is based on 6770 with plastic starbase and wool blend fabric. Numbers may vary based on model and options selected.

RECYCLABILITY:

| | |
|----------------------------|--------------|
| Material recycling | 86 % |
| Energy recovery | 14 % |
| Total recyclability | 100 % |

ENERGY VALUE: (in accordance with NF Environment):

725 MJ

Total CO2:

81 KG

FULFILLED TECHNICAL STANDARDS

- EN 1335-1 Dimensions
- EN 1335-2 Safety requirements
- EN 1335-3 Safety test methods, tested against 110 kg personnel weight

FULFILLED FIRE REQUIREMENTS

- EN 1021-1 Assessment of the ignitability of upholstered furniture – part 1: Ignition source smoldering cigarette, with Kinnarps standard fabrics
- EN 1021-2 Assessment of the ignitability of upholstered furniture – part 2: Ignition source match flame equivalent, with Kinnarps standard fabrics

ADDITIONAL INFORMATION

- This product has an EPD according to EN15804+A1:2013, NPCR 026:2018 Part B for furniture

CHEMICAL DATA

The product does not contain:

Substances on Reach candidate list

Substances on Living Building Challenge Red List

Asbestos

Heavy metals

Phthalates

Brominated or halogenated flame retardants

PVC

Hexavalent chromium

Biocides

COMPANY CERTIFICATIONS

- ISO 9001
- ISO 14001
- ISO 45001
- FSC® Chain of Custody

PACKAGING AND TRANSPORT

The product is shipped with blankets and cardboard sheets as packaging material that is returned to the factories after delivery and reused. This method saves 270 kg of packaging material per container and enables 50% more products to be transported in each truck. Kinnarps' trucks have a load efficiency of over 90% and are run on diesel with renewable content that reduces CO₂ emissions.



MATERIALS

- **Fabrics:** All of Kinnarps' standard fabrics are free from flame retardants and azo dyes. Kinnarps can also offer multiple fabrics labelled with or fulfilling the requirements of EU Ecolabel and/or Oeko-Tex.
- **Wood:** We use FSC® and PEFC certified wood material in the production of our products. The origin and legality of all wood material is controlled and assessed in accordance with Kinnarps Timber Trading Policy. All wood boards fulfil high requirements regarding formaldehyde in accordance with CARB Phase II or half E1.
- **Metal finishing:** Kinnarps use powder coating for surface treatment of metal which gives very low emissions of volatile organic compounds (VOC). For chrome executions, only trivalent chrome is used.
- **Wood finishing:** Kinnarps treats the surface of veneered tables and storage with water based UV-lacquer which ensures very low application quantities of volatile organic compounds (VOC).
- **Plastic:** Plastic components that are used in products produced by Kinnarps are free from PVC and flame retardants, with the exception of some plastic parts of electrical components. The plastic is also free from PFOS, Bisphenol A and phthalates. Plastic components over 100 g are labelled according to ISO 11469.
- **Padding:** The padding in our task chairs is manufactured in Kinnarps' factory in Skillingaryd, Sweden, which enables us to have control over the whole process and ensure a safe production. The padding used in other products is certified with Oeko-Tex. All padding used in Kinnarps' products are free from flame-retardants and azo dyes.
- **Electronics:** Electronic components are CE-labelled and complies with the EU RoHS directive. This prohibits the use of lead, mercury, cadmium and hexavalent chrome, as well as the flame-retardants PDD and PBDE, in electronic products. Conflict minerals are not allowed in the components.
- **Separability:** Separability is taken into consideration in the product development process in order to facilitate the recycling of material when the products no longer can be used. Different types of material is not casted together in a way that makes it hard to recycle. Products are designed with replaceable parts that are easy to change.

CARE AND MAINTENANCE RECOMMENDATIONS

<https://www.kinnarps.com/care-recommendations/>

RECYCLING



| ID | Material | Tools for disassembly | Waste fraction |
|--------|------------------------------|--------------------------|-------------------|
| 2 | Fabric, PUR, Steel, Zink | Screwdriver | Combustible waste |
| 3 | ABS | Screwdriver | Plastics |
| 4 | PP | Screwdriver | Plastics |
| 5 | Steel | Screwdriver | Metal |
| 12 | PA6 GF 30% | Screwdriver | Plastics |
| 13 | Fabric, PUR, Aluminum, Steel | Screwdriver/Manual force | Combustible waste |
| 14 | PA6 30%GF | Screwdriver | Plastics |
| 16 | Fabric, PUR, Steel, PPCO | Screwdriver/Manual force | Combustible waste |
| 18 | Steel | Manual force | Metal |
| 19 | Steel | Manual force | Metal |
| 31, 32 | Steel, Aluminum, PA6 | Hammer | Metal |
| 33 | PPCO | Screwdriver | Plastics |
| 34, 35 | Steel | Allen key | Metal |
| 36 | PPCO | Manual force | Plastics |
| 37 | Paper | Manual force | Paper |
| 38 | PA 50%GF | Manual Force/Hammer | Plastics |
| 39 | PPCO | Manual Force/Hammer | Plastics |
| 40 | PA | Screwdriver | Plastics |
| 41, 42 | Steel | Screwdriver | Metal |
| 43 | PA6 30%GF | Screwdriver/Hammer | Plastics |
| 44 | Steel | Screwdriver/Hammer | Metal |
| 45 | Steel | Manual force | Metal |
| 46 | Aluminium | Screwdriver/Manual Force | Metal |
| 47 | PA6 30%GF | Screwdriver/Manual Force | Plastics |
| 52 | Steel | Hammer | Metal |
| 60, 61 | PA6 30%GF | Hammer/Manual Force | Plastics |
| 66 | PP 15%GF | Manual force | Plastics |
| 68 | PA, TPU, PP, Zink | Manual force | Plastics |

**The product should in first hand be reused or remade before recycling its components.*

LEED CONTRIBUTION

The product can contribute to the earning of points within the following credits.

LEED V 4

Interior Design & Construction

| | |
|---|--|
| MR Credit: Interiors life-cycle impact reduction | Kinnarps offers services for recycling, refreshing or reusing products. Share of recyclable material in the product: 86 % |
| MR Credit: Building product disclosure and optimization – sourcing of raw materials | Recycled content: Post-consumer 22 %, Pre-consumer 0 % Manufactured in Kinnarp, Sweden |

Building Design and Construction

| | |
|---|---|
| MR Credit: Building product disclosure and optimization – sourcing of raw materials | Recycled content: Post-consumer 22 %, Pre-consumer 0 % Manufactured in Kinnarp, Sweden |
| MR Credit: Furniture and medical furnishings (healthcare) | The product contains no or less than 100ppm hexavalent chromium, heavy metals, PFCs or PFOA, or added anti-microbial treatments. Recycled content: Post-consumer 22 %, Pre-consumer 0 % |

Building Operations and Maintenance

| | |
|---|---|
| MR Credit: purchasing—facility maintenance and renovation | The product does not contain any substances on REACH Authorization or Candidate list. |
|---|---|

WELL v2 CONTRIBUTION

The product can contribute to preconditions or the earning of points within the following features.

Preconditions

| | |
|------------------------------------|--|
| V02 Visual and Physical Ergonomics | The product is tested and compliant with the standard EN-1335. |
| A01 Fundamental Air Quality | Thresholds for organic gases are met and may contribute to this feature. |

Optimizations

| | |
|-------------------------------------|---|
| A05 Enhanced Air Quality | Thresholds for organic gases are met and may contribute to this feature. |
| X08 Hazardous Materials Limitations | The product is free from mercury, cadmium, antimony and hexavalent chromium and may contribute to this feature. |
| X10 Volatile Compound Reduction | The product is free from halogenated flame retardants and may contribute to this feature. |

Verified date: 2022-12-08